


3M™ Half Facepiece Respirators

3M™ Dual Cartridge Respirator Assembly 5XP71

- Disposable
- P95 Filter/organic vapor cartridge
- Available in 3 sizes (small, medium, large) to fit many faces
- Resealable storage bag helps keep respirator clean between uses
- Low profile design provides wider field of vision and greater comfort while wearing goggles or glasses



UPC Number	Part No.	Size	Quantity Per Case
051138-66068-5	51P71	Small	12
051138-66069-2	52P71	Medium	12
051138-66070-8	53P71	Large	12

3M™ Half Facepiece Respirators 7501, 7502, 7503 Ultimate Reusable

- Advanced silicone material provides soft cushioning on face
- 3M™ Cool Flow™ Exhalation Valve is a patented one-way valve offering easy exhalation for cool, dry comfort
- Interchangeable filters enable wearer to match the filter with the application
- Use 3M™ Cartridge 6001 for painting, staining, varnishing



UPC Number	Part No.	Size	Quantity Per Bag	Bags Per Case
051131-37081-9	7501	Small	1	10
051131-37082-6	7502	Medium	1	10
051131-37083-3	7503	Large	1	10

👉 YOUR 3M SOLUTIONS HOTLINES:

3M can provide additional products and accessories to meet your needs. Please contact us in any of the following ways that you prefer:

- 3M distributor or 3M sales representative in your area
- 3M Customer Response Center **1-866-279-1235**
- 3M Custom Woodworking and Cabinet Shop Website www.3M.com/woodworking-catalog

⚠️ WARNING



These respirators help protect against certain particles. **Misuse may result in sickness or death.** For proper use, see supervisor, user instructions or call 3M OH&ESD Technical Service. In U.S. call 1-800-243-4630. In Canada, call 1-800-267-4414.

Do not use for:

Gases and vapors, asbestos or sandblasting. Organic vapors, including those present in paint spraying operations, when concentrations exceed the OSHA PEL, or applicable government regulations whichever is lower. Aerosol concentrations that exceed 10 times the OSHA PEL, or applicable government regulations, whichever is lower. This respirator does not supply oxygen.

3M™ Filters and Retainers, 5000/6000 Series

3M™ Particulate Filter 5N11, N95


- NIOSH certified as having at least 95% filtration efficiency against solid and liquid particles (excluding those containing oil)
- Replacement filter for 3M Half Facepiece Respirators 5000, 6000 and 7000 Series
- Use with 3M™ Filter Retainer 501



UPC Number	Quantity Per Box	Boxes Per Case
051138-46464-1	10	10

3M™ Filter Retainer 501

- For use on 3M™ Half Facepiece Respirators 5000, 6000 and 7000 Series with the 3M™ Particulate Filters 5N11 and 5P71 Filters



UPC Number	Quantity Per Box	Boxes Per Case
051138-17668-1	20	5

3M™ Particulate Filter 5P71, P95

- NIOSH certified as having at least 95% filtration efficiency against solid and liquid particles (including those containing oil)
- Use on 3M™ Half Facepiece Respirators 5000, 6000, and 7000 Series
- Use with 3M™ Filter Retainer 501



UPC Number	Quantity Per Box	Boxes Per Case
051131-07194-5	10	10

⚠ WARNING



These respirators help protect against certain particles. **Misuse may result in sickness or death.** For proper use, see supervisor, user instructions or call 3M OH&ESD Technical Service. In U.S. call 1-800-243-4630. In Canada, call 1-800-267-4414.


Do not use for:

Gases and vapors, asbestos or sandblasting. Organic vapors, including those present in paint spraying operations, when concentrations exceed the OSHA PEL, or applicable government regulations whichever is lower. Aerosol concentrations that exceed 10 times the OSHA PEL, or applicable government regulations, whichever is lower. This respirator does not supply oxygen.

3M™ Cartridges/Combination Cartridges/ P100 Particulate Filters 6000 Series

3M™ Organic Vapor Cartridge 6001

- For use on 3M™ Half and Full Facepiece 6000 and 7000 Series with bayonet attachments
- NIOSH approved against organic vapors
- Low profile design helps maintain good field of vision



UPC Number	Quantity Per Pouch	Quantity Per Case
051138-21674-5	2	60

3M™ Formaldehyde/Organic Vapor Cartridge 6005

- For use on 3M™ Half and Full Facepiece 6000 and 7000 Series with bayonet attachments
- NIOSH approved against formaldehyde and certain organic vapors
- Low profile design helps maintain good field of vision



UPC Number	Quantity Per Pouch	Quantity Per Case
051138-28883-4	2	60

3M™ Cartridge/Filter 60926 Multi Gas/Vapor/P100


- For use on 3M™ Half and Full Facepiece 6000 and 7000 Series with bayonet attachments
- NIOSH approved against certain organic vapors, acid gases, ammonia, methylamine, formaldehyde, hydrogen fluoride and particulates



UPC Number	Quantity Per Pouch	Quantity Per Case
051138-54187-8	2	60

3M™ Multi Gas/Vapor Cartridge 6006

- For use on 3M™ Half and Full Facepiece 6000 and 7000 Series with bayonet attachments
- NIOSH approved against certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde and hydrogen fluoride
- Low profile design helps maintain good field of vision



UPC Number	Quantity Per Pouch	Quantity Per Case
051138-54186-1	2	60

3M™ Respirator Cleaning Wipes 504

- Individually wrapped towelettes
- Alcohol free formula will not damage facepiece materials
- Pleasant fragrance
- Oversized 8-1/2" x 11" – ideal for cleaning full facepiece respirators
- Convenient dispenser box



UPC Number	Quantity Per Box	Boxes Per Case
051131-07065-8	100	5

⚠ WARNING



These respirators help protect against certain particles. **Misuse may result in sickness or death.** For proper use, see supervisor, user instructions or call 3M OH&ESD Technical Service. In U.S. call 1-800-243-4630. In Canada, call 1-800-267-4414.

Do not use for:

Gases and vapors, asbestos or sandblasting. Organic vapors, including those present in paint spraying operations, when concentrations exceed the OSHA PEL, or applicable government regulations whichever is lower. Aerosol concentrations that exceed 10 times the OSHA PEL, or applicable government regulations, whichever is lower. This respirator does not supply oxygen.